eptember 25	BIGGIN HILL		EGKB	South												
	Biggin Tower		134.805	1												
	EGKB_TWR		APP 129.405 (or combined)													
N051.19.95				Elev. 599ft												
0				Conspicuity 707	4											
TS				QFE= QNH -20												
KB 135.680																
R BIG 115.10	0 ILS 109.35 Rr	ny 21 N	O NORDO A/C	or Microlights, A/	F or ATZ											
sion Su	rface	TOP OF A	TZ is A2500 - B	ase of LTMA												
	·				way F											
nsition level 6000ft																
ALL VFR circuits to the West. 21RH; 03LH 1000ft QFE DO NOT descend below the flight path on 21.																
Gatwick CTA, unless cleared for transit. Keston, Downe, Farnborough and Orpington, Tatsfield, Biggin																
Hill, Woldingham, Kenley Gliding site.																
Caution reduced wing tip clearance between taxiing and parked aircraft on Main Apron.																
Aircraft taxiing from any ramp/apron must use minimum power until established on the taxiway centre-																
		•	-	apron will be mar	shalled.											
Helicopters should expect to arrive and depart from marked runways. Helicopter Landing Sites located on Echo Taxiway and Foxtrot Taxiway may be used by ATC. no parking																
					NOISE SENSITIVE AREAS SURROUNDING THE AERODROME, helicopters must conform to normal fixed-											
wing joining, departure and circuit procedures unless otherwise instructed by ATC.																
Pilots of helicopters should note the noise sensitive area on the northern aerodrome boundary																
		-	•		-											
., , , , , , , , , , , , , , , , , , ,																
					Λ											
runway heading before turning left/right onto the downwind leg. ATC may give you an alternate approach.																
						Pilots of high fast climbing aircraft should be particularly alert. The width at both ends of Runway 03/21, is twice that of the associated edge lights due to extra										
pavement at one side. Since runway centre-line lighting is NOT installed, pilots should ensure they are																
correctly lined up, especially if take-off is at night or the runway is contaminated or in low visibility.																
res: To the W	/EST VIA KENLEY	, <mark>turn RIG</mark>	HT after depart	ure to leave the A	TZ.											
				the state of the s	runway,											
		· ·														
					d.											
Aircraft routing towards Swanley should remain well to the EAST of the ATZ; Runway 03 Departures: A/C will normally be instructed: To the WEST VIA KENLEY, LEFT turn IN TO THE CIRCUIT before leaving the circuit to the WEST; To the EAST OR NORTH VIA SEVENOAKS OR SWANLEY, RIGHT TURN AT BIG 1 NM avoiding DOWNE, to leave the ATZ on track, avoiding overflight of the Noise Sensitive Areas of Orpington and Chelsfield; Pilots must in all cases avoid overflight of the residential areas north and east especially Keston.																
					ABATMENT Farnborough, Orpington and Downe. See planG area chart. CAUTION – ALL DEPARTURES, LISTEN and LOOK for aircraft joining from the east; VISUAL CIRCUIT PROCEDURES											
											OCEDIIRES		or aircratt		ne east;	
														dings are to ren	<u> </u>	
					ng around' or	making 'touch a	nd go' lan		nain							
ng around' or FT QFE UNTIL	making 'touch a	nd go' lan <mark>ID OF THE</mark>	RUNWAY has l	nain												
ng around' or FT QFE UNTIL turn, (as app	making 'touch a THE UPWIND EN ropriate) should	nd go' lan I <mark>D OF THE</mark> be initiat	RUNWAY has led.	nain been passed,	e L/R BASE											
ng around' or FT QFE UNTIL turn, (as app uit for landing	making 'touch a THE UPWIND EN ropriate) should g (from Motorwa	nd go' lan I <mark>D OF THE</mark> be initiat ay junction	RUNWAY has I ed. n near. Badgers	nain												
	ted under ATE and so any ramp/ap ted under ATE and respect to arrive should note and circustance of any ramp led are should note and so any ramp led are should note and should not any ramp led are should n	Biggin Tow EGKB_TW t N051.19.95 12nm SSE of Loats ATS AR BIG 115.100 R BIG 115.100 ILS 109.35 Recension Surface In x 45m Grooved Tarmac Ition level 6000ft Airspace at the West. 21RH; 03LH 1000ft Coacleared for transit. Keston, Doacle and part of the West. 21RH; 03LH 1000ft Coacleared for transit. Keston, Doacle and part of the West of the West. 21RH; 03LH 1000ft Coacleared for transit. Keston, Doacle and John Street and John Stree	Biggin Tower EGKB_TWR t N051.19.95 Long E00 12nm SSE of London ATS SKB 135.680 DR BIG 115.100 Surface In x 45m Grooved Tarmac Ats Stellar H; 03LH 1000ft QFE Dr Great Good Good Good Good Good Good Good Goo	Biggin Tower EGKB_TWR t N051.19.95 Long E000.01.57 12nm SSE of London ATS SKB 135.680 OR BIG 115.100 ILS 109.35 Rny 21 NO NORDO A/Consistion Surface TOP OF ATZ is A2500 - B Runway 11/29 NO LONG tition level 6000ft Airspace above Class A, LTMA A250 the West. 21RH; 03LH 1000ft QFE DO NOT descend by Color transit. Keston, Downe, Farnborough and Consistion tition level 6000ft Airspace above Class A, LTMA A250 Class A, LTMA A250 Top OF ATZ is A2500 - B DO NOT descend by Color transit. Keston, Downe, Farnborough and Consisting and parked aircraft on the properties of the presence of the presence of the presence of the presence of the runway. Sites located on Echo Taxiway and Foxtrot Taxiway may fox for Runway 21 or direct departures and low flypasts are prohibited unless prior approve for Runway and Foxtrot Taxiway may for for Runway 121 or direct departures for Runway 121 or direct departures and low flypasts are prohibited unless prior approve for Runway 121, is twice that of the associated eduction of the Runway 121, is twice that of the associated eduction of Runway 03/21, is twice that of the associated eduction of Runway 03/21, is twice that of the associated eduction of Runway 03/21, is twice that of the associated eduction of Runway 13/21, is twice that of	Biggin Tower EGKB_TWR APP 129.405 (or t N051.19.95 Long E000.01.57 Elev. 599ft Conspicuity 707 ATS ATS ORE QNH -20 OR BIG 115.100 ILS 109.35 Rny 21 NO NORDO A/C or Microlights, A/ nsion Surface TOP OF ATZ is A2500 - Base of LTMA AIS Ais Grooved Tarmac Ition level 6000ft Airspace above Class A, LTMA A2500 The West. 21RH; 03LH 1000ft QFE OD NOT descend below the flight pa sc cleared for transit. Keston, Downe, Farnborough and Orpington, Tatsfiel tenley Gliding site. Ing tip clearance between taxiing and parked aircraft on Main Apron. In any ramp/apron must use minimum power until established on the taxis ted under ATC instructions. Those parking on the main apron will be mare expect to arrive and depart from marked runways. Sites located on Echo Taxiway and Foxtrot Taxiway may be used by ATC. Is should note the noise sensitive area on the northern aerodrome bounda tht-base approaches for Runway 21 or direct departures to the north from res and low flypasts are prohibited unless prior approval has been given by the Counciling for start, ramp position must be passed to ATC. In when calling for start, ramp position must be passed to ATC. In when calling for start, ramp position must be passed to ATC. In when coloud ceiling is 700 FT QFE or less or the visibility less than 2000 for turning left/right onto the downwind leg. ATC may give you an altern for turning left/right onto the downwind leg. ATC may give you an altern for turning left/right onto the downwind leg. ATC may give you an altern for turning left/right onto the downwind leg. ATC may give you an altern for turning left/right onto the downwind leg. ATC may give you an altern for the WEST VIA KENLEY, turn RIGHT after departure to leave the A RTH VIA SEVENOAKS OR SWANLEY, after passing the upwind end of the listance of 2 NM BEFORE turning LEFT and tracking SOUTHEAST. ate in order to avoid the Noise Sensitive Areas of Biggin Hill and Tatsfiele vards Swanley should remain well to the EAST of the ATZ; ures: A/C will normally be instructed: ENLEY, LEFT turn											

Runway 21. Base leg turn should be at 1nm, Look for the 'Round House' [Halstead],

to avoid Keston.

Circuits - LH on 03, RH on 21.

Circuit heights are 1000 ft QFE (A1600 ft QNH) at all times.


VFR arrivals, departures and overflights.

Pilots should state the [onward] type of service required.

If no specific service is requested by the pilot, these **flights will be provided with a Basic Service by default from their next controller.**

FINALLY: ALWAYS BE AWARE

- a)of other traffic,
- b) The LTMA at 1900QFE A2500QNH, c)location of noise sensitive areas.
- d) ATC, They may at times vary the standard procedure, for safety reasons.




FINALLY: ALWAYS BE
AWARE
a) of other traffic,
b) The LTMA at 1900QFE
A2500QNH, c)location of
noise sensitive areas.
d) ATC, They may at
times vary the standard
procedure, for safety
reasons.

THE NEW BOMBADIER HANGER HAS 'TAKEN OUT' THE CIX VFR CLUB HOUSE AND HANGER.

IT I WILL BE AVAILABLE IN Å NEW POSITION SOON, AS WILL BE THE NEW HANGER.

EXPECT MOST A/C TO/FROM THE NEW HANGER TO USE FOXTROT CHARLIE AND ALPHA.

Note THERE ARE NO LONGER VFR DEAD SIDE JOINS, INBOUND VIA ALKIN OR BADGERS MOUNT, AS INSTRUCTED.



PILOTS: PLEASE PUT YOUR A/C CALLSIGN AFTER YOUR NAME.

NOT TO BE USED FOR REAL WORLD OPERATIONS